

THERMAL SENSATION AND BODY TEMPERATURE OF THE ELDERLY IN WINTER

Yutaka Tochihara

Department of Physiological Hygiene
The Institute of Public Health
Address for reprints:
4-6-1, Shirokanedai, Minato-ku
Tokyo 108, Japan

It is well known that human deep body temperature (T_b) is kept at a constant level by homeostasis. However, it seems that T_b in the elderly are affected by environmental temperatures. Indeed, accidental hypothermia (T_b below 35°C) in winter is now recognized as one of the natural hazards of old age in Europe. Recently, the number of elderly has also increased rapidly in Japan. However, there are few surveys on T_b and thermal sensations in the homes of elderly people in Japan. In this study, T_b , room temperatures (T_a), thermal sensations and clothing and housing conditions of the elderly people living in their own homes in winter were surveyed and compared with the values of college-aged people.

Ninety-six elderly people (48 men and 38 women) and 79 female students living in the western part of Tokyo served as subjects. Average (\pm SD) age of the elderly male and female subjects were $70.67(\pm 4.25)$ and $70.02(\pm 4.11)$ years old, respectively. Female students were from 20 to 22 years old; The survey of the elderly people was done at the beginning of February for a week in 1987, and the survey of the students was done at the end of the January for three days in 1988. The subjects measured T_b , T_a and thermal sensations at 7 a.m. and at 7 p.m. T_b were measured at the axillary at least for 10 minutes. At the same time, T_a were measured in the living rooms or bedrooms. A nine-point scale of thermal sensation was applied as follows: 1 very hot; 2 hot; 3 warm; 4 slightly warm; 5 neutral; 6 slightly cool; 7 cool; 8 cold; 9 very cold.

Average (\pm SD) T_b at 7 p.m. of the elderly males, elderly females and female students were $36.16(\pm 0.36)$, $36.03(\pm 0.35)$ and $36.51(\pm 0.33)^\circ\text{C}$, respectively. T_b of the elderly females were significantly lower than those of female students. Average (\pm SD) T_a at 7 p.m. of the elderly males, elderly females and female students were $15.55(\pm 4.78)$, $15.55(\pm 4.71)$ and $18.06(\pm 3.92)^\circ\text{C}$, respectively. Average (\pm SD) thermal sensations at 7 p.m. of the elderly males, elderly females and female students were $4.15(\pm 1.35)$, $3.82(\pm 1.27)$ and $4.61(\pm 1.51)$, respectively. Although, T_a of the elderly females were significantly lower than those of the female students, the elderly females felt significantly warmer than the female students. These differences between elderly and young subjects were also observed at 7 a.m.

T_b of the elderly who lived in lower T_a were significantly lower than those of the others. T_b of the elderly who were not familiar with heating equipment and usually dressed lightly were significantly lower than those of the others. On the other hand, T_b of the students were not affected by T_a and these conditions. In summary, T_b of the elderly were significantly lower than those of students in winter and were affected easily by T_a and the clothing and housing conditions.